KAIZEN FASHIONS LTD.

PROFILE

Composite Knit Industries

CORPORATE OFFICE:

House#19, (3rd Floor)
Block# F, Extension Pallabi.
Dhaka, Bangladesh.
Cell: +880 1707530121
+880 1720254666

PHONE: +88 02-58070250 FAX: +88 02-8414552 **E-MAIL:** md.shameem@oneway-textile.com rumman@kaizen-bd.com

LOCATION OF PRODUCTION FACILITIES

(1 Km West from Savar bus stand) 120/5, Kornopara, Savar, Dhaka Bangladesh

Phone: +880 1711521157

FACILITIES

The factory building floor space 10,000 SQFT PER FLOOR UP TO 5^{TH} FLOOR + BOTH SIDE SHADES PRESENT WORKING AREA,: - 65,000 sq FT. With 02 stairs for general & emergency is owned by us and we have hygienically maintain washrooms and emergency treatment room.

PRESENT PRODUCTION CAPACITY

IN HOUSE FABRIC CAPACITY: 6.00 TONES/DAY

SEWING LINES: 15 LINES

GARMENTS PRODUCTION CAPACITY: 30,000 PCS/DAY T SHIRT

Our Valued Customer: -

TVMania GMBH
FOX Wisel Inc.
K'era Collection
Asiatex BD
Sicem International
Li & Fung
Chantal SAS
Randy River
HAMRICKS INC.

Garments product range: -

T-shirt, polo shirt, tank-top, sweat shirt, shorts, long pants. Children's / Men's / Women's all kinds of lycra tops / dress / pyjamas , and all shorts of knitted fancy garments based on our own fabrics as well as any kind of Imported Fabrics.

Garments Production Capacity: -

◆ T-shirt : 30,000 pcs per day.

♦ Line : 15 Lines. Capacity upto 20 Lines.

We are a composite knit manufacturer of quality exportable fabrics and apparels in Bangladesh having all state of the art facilities with monthly turnover US\$ 1.00 million. It is located at Savar near Dhaka city about 20 KM - 20minutes minutes drive from Capital city. It has been incorporated in October' 2003 as a private Limited company under RJC of Bangladesh. We are operating following process in our own premises:

KNITTING

DYEING

PRINTING

SEWING

FINISHING

EXPORT

FABRIC SECTION:

The section is equipped with 8 units of Dying machine of SCHOLL, TONG GEN brand. These brands are reliable and dependable to produce quality knit Fabrics. Finishing section has been designed with the latest model of CALATOR Dewatering and ALBARCH dryer with FABCON -USA, Compactor also ALBARCH SOFT SETTING Blanket technology. Beside REB Power we always keep our GAS driven Doeus MWM, German Gas generator full time to avoid interruption of production also Caterpillar Disel 500KVA generator standby if any power failure.

A wide range of new products development to meet requirement of the buyer. We generally produce the following types of fabrics: -

Single Jersey	140-240 Gsm
Pique	160-280 Gsm
Lycra Pique	180-320 Gsm
Lacoste	180-280 Gsm
Feeder Stripe(Pk& S/J)	150-240 Gsm
Drop Neddle	160-240 Gsm
Fleece(One Side Brush)	250-320 Gsm
Lycra S/J (Full Feeder)	160-240 Gsm
Lycra Rib 1x1& 2x2	180-360 Gsm
Terry+ FLEECE BRUSHED (3	220-330 Gsm
Thread)	
Interlock	180-280 Gsm
Normal Rib 1x1 &2x2	180-240 Gsm
Flat Knitted Solid & Tripping	As Required.
Collor & Cuff	

The knitting capacity is 3,000 Kgs per day supported by production of collar & cuff 15,000 sets per day.

We are specialist in Lycra full feeder with all type of fabrics. So, we are producing Lycra s/j, pique, fleece, french terry, feeder stripe-s/j + pique. 1x1 & 2x2 rib with heat setting to avoid crease mark. We are also specialist for water repellent fabrics & platting fabrics.

POWER SUPPORT:-

SL. No	MACHINE GRADE	CAPACITY	SOURCE	BRAND	ORIGIN	NO.OF M/C.
01	REB ELECTRIC LINE	400KVA	REB	REB	BD	01
02	GENERATOR- GAS DRIVEN	635KVA	GAS	DOEUS	GERMANY	01
03	GENERATOR- DISEL	500KVA	DISEL	CATERPILLAR	USA	01
04	GENERATOR - DISEL	125KVA	DISEL	FUZIPOWER	CHINA	01
05	TRANSFORMER	500KVA		CHINA	CHINA	01
06	HT/LT POWER SWITCHGEAR & DB	500KVA		ABB	GERMANY	2
						07 NOS

KNITTING SECTION

SL. No	MACHINE GRADE	DIA	GAUGE	BRAND	ORIGIN	NO.OF M/C.
NO						IVI/C.
01	SINGLE JERSEY (MODEL: L-SM4T)	28"	24	FUKUHAMA	TAIWAN	01
02	SINGLE JERSEY (MODEL: L SM4T)	30"	24	FUKUHAMA	TAIWAN	01
03	SINGLE JERSEY (MODEL: L SM4T)	30"	24	LISKY	TAIWAN	01
04	SINGLE JERSEY (MODEL: L SM4T)	32"	24	LISKY	TAIWAN	01
05	SINGLE JERSEY (MODEL: L SM4T)	34"	24	LISKY	TAIWAN	01
06	SINGLE JERSEY (MODEL: L SM4T)	36"	24	LISKY	TAIWAN	01
07	SINGLE JERSEY (MODEL: L SM4T)	38"	24	GENNTEX	SINGAPORE	01
80	SINGLE JERSEY (MODEL: L SM4T)	40"	24	GENTEX	SINGAPORE	01
09	RIB/INTER LOCK(MODEL: L-DR24)	32"	24	LISKY	TAIWAN	01
10	RIB/INTER LOCK(MODEL: L-Di24)	38"	24	LISKY	TAIWAN	01
	TUBULAR FABRICS INSPECTION			HSING	THAILAND	01SET
	MACHINE			CHENG		
12	COMPRESSURE	45KW		SWAN	TAIWAN	3 SET
					TOTAL	13 SETS

DYEING SECTION

STEAM SOURCE	STEAM BOILER/KOREA	5.00M	GAS	WANG	KOREA
		TONS/H			

DYEING SECTION MACHINERIES

DESCRIPTION	BRAND	ORIGI N	CAPACITY	NO. OF MACHINE
HIGH TEM. DYEING MACHINE. MODEL: SC9802	SCHOLL	SWITZE RLAND	600 KGS	1 NOS.
HIGH TEM. DYEING MACHINE. MODEL: SC9801	SCHOLL	SWITZE RLAND	450 KGS	1 NOS.
HIGH TEM. DYEING MACHINE. MODEL: T-IS07TH	TONG GEN	TAIWA N	600 KGS	1 NOS.
ATMOSFARING DYEING MACHINE. MODEL: TECHSOFT-HT	TONG GEN	TAIWA N	450 KGS	1 NOS.
ATMOSFARING DYEING MACHINE. MODEL: TECHSOFT-HT	TONG GEN	TAIWA N	350 KGS	1 NOS.
ATMOSFARING DYEING MACHINE. MODEL: TECHSOFT	TONG GEN	TAIWA N	250 KGS	1 NOS.
ATMOSFARING DYEING MACHINE. MODEL: TECHSOFT	TONG GEN	TAIWA N	150 KGS	1 NOS.
ATMOSFARING DYEING MACHINE. MODEL: TECHSOFT	TONG GEN	TAIWA N	100 KGS	1 NOS.
			TOTAL	08 NOS.

SAMPLE FABRICS DYEING MACHINE

DESCRIPTION	BRAND	ORIGIN	CAPACITY	NO. OF MACHINE
SAMPLE DYEING MACHINE. HP	THC	TAIWAN	10KGS	01 NOS.
SAMPLE DYEING MACHINE. HP	THC	TAIWAN	15KGS	01 NOS.
SAMPLE DYEING MACHINE. AT	THC	TAIWAN	25KGS	01 NOS.
			TOTAL	03 NOS.

LABORATORY APPARATUS

DESCRIPTION	BRAND	ORIGIN	NO.OF MACHINE
ATMOSPHERIC NORMAL PRESSURE RAPID LAB MACHINE. MODEL: AM-SF	RAPID	TAIWAN	24 POT/1 SET
ATMOSPHERIC NORMAL PRESSURE RAPID LAB MACHINE. MODEL: AM-SF	RAPID	TAIWAN	16 POT/1SET
HT/HP Lab dyeing Machines KM-0125 W	Wang	Korea	16 POT/1SET
WASHING MACINE		ITALY	01 SET
PORTABLE PH TESTER.MODEL: 322A	MESDAN, S.P.A	ITALY	01 SET
SIEMENS SAMPLE DRYER	SIWATHERM TXL-1100	GERMANY	01 SET
SANDOLAB DRYER	COPOWER	TAIWAN	01 SET
MILLE WASHING MACHINE	SIWAMAT XL-528	ITALY	01 SET
	<u>-</u>	·	
		TOTAL	12 SETS

FINISHING SECTION

DESCRIPTION	BRAND	ORIGIN	CAPACITY	NO.OF MACHINE
D-WATERING, D-TWISTING SQUEEZER	CALATOR	GERMANY	500 KG/HOUR	01 NOS.
D-WATERING, D-TWISTING	ALBARCH	BRAZIL	500KG/HOUR	01 NOS.
TENSIONLESS DRYER	ALBARCH	BRAZIL	500KG/HOUR	01 NOS.
COMPACTOR (SHRINKAGE CONTROLLER) FOR TUBULER FABRICS	FABCON	USA	500 KG/HOUR	01 NOS.
COMPACTOR (SHRINKAGE CONTROLLER SOFT SETTING)	ALBARCH	BRAZIL	500 KG/HOUR	01 NOS.
UZ-F 3/96", CLOTH INSPECTION MACHINE FOR TUBULAR & OPEN FABRICS.	UZO/ LK & LH	THAILAND		O1 SETS
	•	•	TOTAL	06 SETS

GARMENTS SECTION:-

2. **CUTTING SECTION:-**

SL.	DESCRIPTION	BRAND	ORIGIN	NBR.OF MACHINE
NO				
01.	CUT TABLE (80' X 6' X 2)	LOCAL MADE		2 NOS.
02.	PL-922, RIB CUTTING MACHINE	LU	TAIWAN	1 NO.
03.	KS-AU-V-08 STRAIGHT KNIFE CLOTH	KM	JAPAN	3 NOS.
	CUTTING MACHINE 8" AND10".			
			TOTAL	6 NOS.

1. **SEWING SECTION:**

SL.	DESCRIPTION OF MACHINE	BRAND	ORIGIN	NO. OF MACHINE
NO				
1.	PLANE MACHINE	Sunstar/Juki/Jack	CHINA	450 NOS.
	MODEL: - S-6200A-403/G1A,			
	THREAD TRIMMER		CYYN Y A	
2.	PLANE MACHINE	BROTHER	CHINA	45 NOS.
	MODEL :- SL-1110-3, NORMAL		CYYN Y A	
3.	PLANE MACHINE	BROTHER	CHINA	3 NOS.
	MODEL : - 1010-3 ,NORMAL		~~~~	
4.	OVER LOCK MACHINE M852-	PEGASUS	CHINA	4 NOS.
<u> </u>	16S2-1.5,3 THREAD		CHINA	
5.	OVER LOCK MACHINE M852-13 H-	PEGASUS	CHINA	38 NOS.
<u> </u>	2X4, 4 THREAD	DEC 40110	CHINIA	5/ 1/00
6.	OVER LOCK MACHINE M852-13 H-	PEGASUS	CHINA	56 NOS.
	2X4/TK1A, 4 THREAD	DEC ACUIC	CHINIA	00 NIOC
	OVER LOCK MACHINE M752-	PEGASUS	CHINA	20 NOS.
	13H2X4, 4 THREAD	DEC ACUE	CHINA	40 NOC
7.	FLAT LOCK MACHINE W562P-	PEGASUS	CHINA	10 NOS.
	01GBX356/UT103			
8.	FLAT LOCK MACHINE W664P-	PEGASUS	CHINA	36 NOS.
	01GBX356 SYLINDER BED.			
9.	FLAT LOCK MACHINE W664P-	PEGASUS	CHINA	14 NOS.
	35BCX356/UT109 SYLINDER BED.			
10.	FLAT LOCK MACHINE W265P-	PEGASUS	JAPAN	4 NOS.
	1GBX356/UT109 SYLINDER BED.			
11.	FLAT LOCK MACHINE W265P-	PEGASUS	CHINA	18 NOS.
	1GBX356/BS SYLINDER BED.			
12.	FLAT LOCK MACHINE W1562P-	PEGASUS	JAPAN	14 NOS.
	01GBX356BSD, FLAT BED			

SL.	DESCRIPTION OF MACHINE	BRAND	ORIGIN	NO. OF MACHINE
NO				
13.	BUTTON HOLE HE -HE 800 A-3 AUTO	JUKI	JAPAN	2 NOS.
14.	BUTTON STITCH BE- 438 F-03S AUTO	JUKI	JAPAN	2 NOS.
15.	Bartak ke -430f ok-s auto	BROTHER	CHINA	2 NOS.
16.	SNAP UZU-PL-11 AUTO	UZU	THAILAND	2 NOS.
17.	P.M.D. 8 THIRT140MD	KANSAI	JAPAN	2 NOS.
18.	D.F.B 24 THIRT 141 2PI	KANSAI	JAPAN	2 NOS.
19.	BACKTAPE W522-04B FOLDER TYPE	PEGASUS	JAPAN	5 NOS.
20.	FEED OF THE ARM DA- 9270-1 NORMAL	BROTHER	JAPAN	3 NOS.
21.	TWO NEEDLE T- 8420A -005 NORMAL	BROTHER	JAPAN	2 NOS.
22.	P.Q.I PX 320-4W NORMAL	KANSAI	JAPAN	2 NOS.
23.	RIB CUTTING LU-992 NORMAL	UZU	THAILAND	4 NOS.
24.	SNAP BUTTON UZ 333E NORMAL	UZU	THAILAND	2 NOS.
25.	SNAP BUTTON NORMAL	UZU	CHINA	2 NOS.
26.	RE-CONE UZ-205 NORMAL	UZU	THAILAND	2 NOS.
			TOTAL	292 NOS.

1. FINISHING SECTION:-

SL.	DESCRIPTION OF MACHINE	BRAND	ORIGIN	NO. OF
NO				MACHINES
01.	NS-3301, CLEANING TABLE	PMM	HONG KONG	1 NOS.
02.	UZ-888, FLAT VACUME IRONING WITH WHEEL	UZU	THAILAND	20 NOS.
03.	UZ-12N, THREAD SUCTION MACHINE.	UZU	THAILAND	2 NOS.
04.	P-909G, AUTO CARTON STRAPPING MACHINE	UZU	THAILAND	2NOS.
05.	ALL STEAM PRESS COMPLETED WITH 2 HOSE PIPE 3 METER	SEWOONG	KOREA	20 NOS.
06.	HN-770G, NEEDLE DETECTOR MACHINE BELT TYPE	HASHIMA	JAPAN	1 NO.
07.	SPOT CLEANER MACHINE	UZU	THAILAND	4 NOS.
			TOTAL	53 NOS.

SAMPLE WORK SHOP

SL.	DESCRIPTION OF MACHINE	BRAND	ORIGIN	NBR. OF MACHINE
NO				
01.	OVERLOCK (2 NEDDLE 4 THREAD, 2-	PEGASUS	JAPAN	04 NOS.
	LOOPER)			
02.	OVERLOCK (3 NEDDLE, 5 THREAD, 2-	PEGASUS	JAPAN	02NOS.
	LOOPER)			
03.	OVERLOCK (3 NEDDLE, 6 THREAD, 2-	PEGASUS	MALAY SIA	02 NOS.
	LOOPER)			
04.	FLATLOCK (FLAT BED)	PEGASUS		02 NOS.
05.	FLATLOCK (CYLINDER BED)	PEGASUS	JAPAN	02 NOS.
06.	PLAIN MACHINE (SINGLE NEDDLE)	BROTHER	JAPAN	06 NOS.
			TOTAL	18 NOS.
			•	

UTILITY:-

ETP (EFFLUENT TREATMENT PLANT) & WTP (WATER TREATMENT PLANT)

Chemical based Treated waste-water, thus obtained from the plant will be practically color less and will be suitable for discharge into the sewerage/main drain/agricultural field. Effluent treatment plant capacity= 50m³/Hour.

WATER SOURCES:-

A) DEEP TUBE-WEL. 100 M.T/HR / submersible pump= 100 m³/Hour Quantity: 2 Nos.

COMPLIANCE

The factory is full compliance with ILO and Bangladesh Labor Law. Our company policy is as follows: -

- 1. No child labor.
- 2. No forced labor.
- 3. Transport facilities for worker.
- 4. Hours of work.
- 5. Voluntary over time.
- 6. Intervals for rest.
- 7. Weekly holidays.
- 8. Annual leave.
- 9. Festival holidays & leaves with bonus.
- 10. Maternity protection.
- 11. Worker's welfare committee.
- 12. Mineral drinking water.
- 13. Sanitary facilities.
- 14. First aid box.
- 15. Canteen services.
- 16. Day care centre.
- 17. Health care activities for the worker & employ company doctor.
- 18. Fire extinguisher each & every floor & conduct fire drill at least 12 times a year. We are giving a top priority on prevention of fire and eventual evacuation.
- 19. Other safety department (no discrimination).
- 20. Compensation cases department.
- 21. The development of compliance programmer.
- 22. Environmental developer.
- 23. Smoking free zone.

Responsibility:-

- 1. Group insurance coverage for all workers
- 2. 100% coverage Insurance for full project + raw materials + WIP+ finished goods.
- 3. Recreational activities for workers.

QUALITY ASSURANCE:-

We have a quality policy for quality assurance. We introduced independent quality control team (iqct).

The quality policy is written in English and in our native language: -

In house Printing Facility

Number of Print house: 2 (Unit -1, Unit -2)

Total Table: 10

Per day Capacity: 20,000 pcs

Uses Chemical Brand:

Rubber white/clear - SILFLEX (Malaysia)

Others (Basic/Pigmant) - HS Corporation - BEZMA (Switzerland).

BANK DETAILS: -

Al Arafa Islami Bank Limited. khilkhet Branch Dhaka, Bangladesh SWIFT: - ALARBDDH082 A/C NO. 0731020014572

CONTACT PERSONS: -



Md. Shameem Ahsan Managing Director, Mobile: +880 1707530121

Email: md.shameem@oneway-textile.com

shameem@trendytogsbd.com



Md. **S. M. Rumman**

Director,

Mobile: +880 1720254666

Email: rumi@oneway-textile.com

rumi@trendytogsbd.com
rumman@kaizen-bd.com

THE END